

**Outdoors Swimming Pool Heating
Energy Consumption Comparative Study
May 1st to September 30th Heating**

Presented by





in Collaboration with

Northwest Wholesale



HVAC CONCEPT
Siège Social / Head office
1900, rue Royale
Trois-Rivières (Québec)
Canada, G9A 4K9

 (819) 841-0236
 (819) 841-0262
www.hvac-concept.com


Project Summary

In ground Outdoors Pool
 Rectangular shape, 16'x32', average depth 6'
 with a solar blanket used 8 hours daily
 Residential use, 2 hours daily
 Water must be kept at 84°F
 From May 1st to September 30th
 Weather information of Winnipeg, MB used
 Average air temperature for the period is 60.3°F
 Lowest air temperature for period is 39.2°F

Required Heating Capacity*	32,9 kW 112 MBH	
Energy Provided to the Pool Yearly**	78 606 kWh 268 215 kBTU	
Energy Cost Using Fuel Oil	8 275 \$/year	86%
Energy Cost Using Natural Gas	4 402 \$/year	75%
Energy Cost Using Propane	8 442 \$/year	87%
Energy Cost Using Electrical Heater	5 053 \$/year	78%
Energy Cost Using Reversible System	1 121 \$/year	
Savings Over Natural Gas System	3 281 \$/year	

* Based on historic low temperatures

** Based on monthly average temperatures



HVAC CONCEPT
 Siège Social / Head office
 1900, rue Royale
 Trois-Rivières (Québec)
 Canada, G9A 4K9

(819) 841-0236
 (819) 841-0262
www.hvac-concept.com

Unit Cost of the Energy Sources

			1 kWh Cost	1 kBtu Cost
Fuel Oil (No. 1, 2, 4)	0,89	\$ / Liter	▼ 0,105 \$	0,031 \$
Natural Gas	0,49	\$ / Cubic Meter	▼ 0,056 \$	0,016 \$
Propane	0,60	\$ / Liters	▼ 0,107 \$	0,031 \$
Electricity	0,06	\$ / kWh	0,064 \$	0,019 \$

Efficiency of Reference Pool Heaters

Fuel Oil	80%	For new units, common values range from 78% (cheap) and 83% (High quality). This value drops within a few seasons unless strict maintenance is performed.
Natural Gas	82%	A few costly units can reach 95% efficiency, typical new natural gas heater efficiency is around 82%. Units older than 5 years typically have a 75% or lower efficiency.
Propane	80%	Efficiency values for propane pool heaters range between 70% and 84%. The typical value is around 80%.
Electricity	98%	Electric heaters have a good efficiency of around 98% because they do not lose heat in combustion fumes.

Efficiency of Reversible Pool Heater

Season Average Ambient Temperature	60,3	°F	▼		
Water Temperature	84	°F	▼	1 kWh Cost	1 kBtu Cost
Efficiency	442%			0,014 \$	0,004 \$



HVAC CONCEPT
Siège Social / Head office
1900, rue Royale
Trois-Rivières (Québec)
Canada, G9A 4K9

☎ (819) 841-0236
☎ (819) 841-0262
www.hvac-concept.com

Heating Capacity Analysis

	Qty		
Primary Model	<input type="text" value="1"/>	POPASRW130-U	▼
Secondary Model (for large projects)	<input type="text" value="0"/>	(None)	▼
Minimum Ambient Temperature	<input type="text" value="4"/>	°C	▼
Required Heating Capacity	<input type="text" value="32,9"/>	kW	
Residual Heating Capacity	<input type="text" value="12%"/>		
Total Heating Capacity	<input type="text" value="36,8"/>	kW	

Ambiant air temperature : 4,0°C
Water temperature : 84°F

Specifications of the Units

UNIT	Model	Primary	Secondary
		POPASRW130-U	(None)
Heating Capacity	kW	59	
	BTU/h	200 000	
Heating Power Input	kW	10,4	
Running Current	A	45,2	
Compressor Rating Load	A	42,6	
Compressor Locked Rotor Load	A	75	
Minimum Circuit Ampacity	A	65	
Max.Fuse	A	110	
Power Supply	V/Ph/Hz	230/1/60	
Compressor Quantity		2	
Compressor Type		Scroll	
Fan Quantity		2	
Fan Rotate Speed	RPM	830	
Fan Direction		Vertical	
Noise Level	dB(A)	61	
Water Connection	inch	2.5	
Water Flow Volume	GPM	86	
Water Pressure Drop (max)	PSI	2,18	
Unit Net Dimensions (L/W/H)	inch	57.1/29.5/50.4	
Unit Shipping Dimensions (L/W/H)	inch	61.0/31.5/55.1	



HVAC CONCEPT
Siège Social / Head office
1900, rue Royale
Trois-Rivières (Québec)
Canada, G9A 4K9

(819) 841-0236
 (819) 841-0262
www.hvac-concept.com